


USHA AMORPHOUS METALS LTD, INDIA (C-CORE DESIGN)

MATERIAL: Iron Based Amorphous Metal Alloy

DIMENSIONS:



Dimensions: mm
 Scale: Not To Scale
 Projection: Third Angle

NOTE:
 A. ALL MEASUREMENTS ARE DONE AT ROOM TEMPERATURE
 B. WEIGHT INCLUDES 2% EPOXY WEIGHT
 C. CONTINUOUS OPERATING TEMPERATURE 155 °C

NO.	REV. NO.	DATE	ECN NO.	REVISIONS DETAILS	Checked	Approval

NOTICE/DISCLAIMER:
 THIS DRAWING, THE PROPERTY OF USHA AMORPHOUS METALS LTD., INDIA IS FURNISHED, SUBJECT TO RETURN ON DEMAND AND THE CONDITION THAT THE INFORMATION AND TECHNOLOGY EMBEDDED HEREIN SHALL NOT BE DISCLOSED OR USED AND THE DOCUMENT SHALL NOT BE REPRODUCED OR COPIED IN WHOLE OR IN PART EXCEPT AS PREVIOUSLY AUTHORISED IN WRITING; ANY PERSON RECEIVE OR OBSERVE THIS DOCUMENT WILL BE HELD STRICTLY LIABLE FOR ANY VIOLATION WHETHER OR NEGLIGENCE.

Enquiry No. : _____
 Dated : _____
 ED/11C/ _____ Rev. : _____
 00 Dated 16/08/2011

PHYSICAL SPECIFICATION:

Core Build	(a) mm	30.00	±	1.00
Window Width	(b) mm	40.50	±	0.50
Window Length	(c) mm	96.25	±	1.25
Core Height	(d) mm	85.00	±	1.50
Core Width	(e) mm	100.50	±	2.00
Core Length	(f) mm	156.25	±	2.50
Core Weight	(grams)	5773	±	3.0 %

MAGNETIC CHARACTERISTICS:

Mean Magnetic Path	(lm) cm	36.75
Net Cross Section Area	(Ac) cm ²	21.42
Window Area	(Wa) cm ²	38.98
Area Product	(Ap) cm ⁴	834.98

ELECTRICAL SPECIFICATION:

Core Loss @ 16.00 KHZ; 0.037 T ≤ 1.38 Watts/Kg

SPECIAL INSTRUCTION:

Core Size : UMCCC -- 800B

Verification :

Prepared and Checked By: [Signature] Date: 16/0/11

Feasibility Check and Approved By: [Signature] Date: 16/8/2011

Customer Approval:

Company : _____
 Approver Name : _____
 Signature : _____ Date : _____

STAMP